



## EM Retailer EAS System

- Superior and patented 3D EM detection
- Detection of labels placed on metallic items and inside of aluminium bags
- Digital signal processing

<b>Retailor-N</b>	<b>Retailor Mono</b> 1 x master antenna 1 x AC/DC adaptor
<b>Retailor-NN</b>	<b>Retailor single Mono aisle system</b> 2 x master antennas 2 x AC/DC adaptors and cable set
<b>Retailor-NNN</b>	<b>Retailor dual Mono aisle system</b> 3 x master antennas 3 x AC/DC adaptors and cable set
<b>Retailor-MS</b>	<b>Retailor single aisle system</b> 1 x master antenna 1 x slave antenna 1 x SWS power supply with cable set
<b>Retailor-MM</b>	<b>Retailor single aisle system</b> 1 x master antenna 1 x SWS power supply with cable set
<b>Retailor-MSSJ</b>	<b>Retailor dual aisle system</b> 1 x master antenna 2 x slave antennas 1 x JWS power supply unit with cable set
<b>Retailor-MSS</b>	<b>Retailor dual aisle system</b> 1 x master antenna 2 x slave antennas 1 x SWS power supply unit with cable set
<b>Retailor-MMS</b>	<b>Retailor dual aisle system</b> 2 x master antennas 1 x slave antenna 2 x SWS power supply units with cable sets
<b>Retailor-MMM</b>	<b>Retailor dual aisle system</b> 3 x master antennas 2 x SWS power supply units with cable sets

<b>Dimensions</b>	modifiable standard height: 157 cm width: 64 cm thickness of antenna frame: 2.5 cm base thickness: 9 cm
<b>Voltage</b>	100V - 240 Vac; 50/60Hz; Grounded
<b>POWER CONSUMPTION</b>	max. 500VA
<b>TX FREQUENCY</b>	ca. 200 Hz
<b>OPERATION TEMPERATURE</b>	+10°C - +50°C
<b>WEIGHT</b>	master antenna: 18,5 kg slave antenna: 18 kg power supply: 6 kg
<b>TYPICAL DETECTION RANGE</b>	90 cm - 110 cm 35.4 inch - 44 inch
<b>ALARM Alarm Interface board</b>	- Visual/Audio signal - optional (NO/NC Relay output) programmable sound and light alarm sequences



### Contact Information

Tel Number: 021 572 5321

Fax Number: 021 572 5348

Office Cell: 082 974 3605

Technical Assistance:(24/7)

0861 182 448

[www.tagtron.net](http://www.tagtron.net)